


# Biometrics Facial Recognition System

ACCURATE

DURABLE

FAST



### **Applications**

- Security
- Time Attendance System
- Door Lock Control



- Automatic Recognition in 1.2 sec
- 1000 registered face record
- Supplied API for Easy Application Interface
- Reject Photo & Video Fraud

# MT-MP126U Biometrics Facial Recognition System



MT-MP126U

## Face Recognition System

- Support 200 to 480 Lux environment
- Detection time average 1.2 sec.
- Criteria : 1000 registered faces records with FAR at 0.1% and FRR at 0.5%
- Fit for 1.4 – 1.8m high user just in front of the device (no need to move forward or backward)

## Communication

- Ethernet LAN service
- IEEE 802.11b/g/n (optional)
- 3G or LTE (optional)
- External Antenna (optional)

## Environment

- IP54 / shockproof 3 Grms/5~450Hz
- Dust & Water resistance
- 3H surface hardness




MT-YL41-32



MT-IPA-W

## Other Options

- Wall mounting kit
- Floor Stand



**Dimension** : 303 x 245 x 65 (L x W x H)

**Weight** : 3kg

**Power Input** : DC12V, 3.5A

# Biometrics Facial Recognition System



- Automatic Recognition in 1.2 sec
- 1000 registered face record
- Supplied API for Easy Application Interface
- Reject Photo & Video Fraud

## Applications


- Security
- Time Attendance System
- Door Lock Control



# MT-MP126U Biometrics Facial Recognition System



MT-MP126U



## Face Recognition System

- Support 200 to 480 Lux environment
- Detection time average 1.2 sec.
- Criteria : 1000 registered faces records with FAR at 0.1% and FRR at 0.5%
- Fit for 1.4 –1.8m high user just in front of the device (no need to move forward or backward)

## Communication

- Ethernet LAN service
- IEEE 802.11b/g/n (optional)
- 3G or LTE (optional)
- External Antenna (optional)

## Environment

- IP54 / shockproof 3 Grms/5~450Hz
- Dust & Water resistance
- 3H surface hardness


**Dimension** : 303 x 245 x 65 (L x W x H)

**Weight** : 3kg

**Power Input** : DC 12V, 3.5A

## Other Options

- Wall mounting kit
- Floor Stand



MT-IPA-W



MT-YL41-32